

Sticker Tag



Technical Specifications

Sticker Tag

Physical

Height	2.10 in (53.5 mm)
Width	2.44 in (62 mm)
Depth	0.08 in (2.1 mm)
Weight	0.14 oz (4 grams) battery included
Material	Paper
Color	White
Product identification	QR code with MAC address and Unique ID
Mounting	Peel and stick; adhesive

Environmental

Operating temperature	-4°F to 122°F (-20°C to 50°C)
Storage temperature	68°F to 95°F (20°C to 35°C)
Operating humidity	10%-95% RH (non-condensing)
Storage humidity	5%-95% RH (non-condensing)
Shelf Life	1 year

Battery Power

Battery life	Up to 12 months with Kontakt.io default configuration
Battery type	Paper (non-hazardous)
Power activation	Near-field communication (NFC)

Bluetooth Low Energy (LE) Radio

Wireless standard	Bluetooth LE 5.0 and 5.3 compatible
Range	Open space up to 164 feet (50 meters)
Available transmission power level	-20dBm to +5dBm
Supported data packet	Kontakt.io Location (default), Telemetry, and iBeacon non-connectable

Certifications

FCC, CE, RoHS



Get in Touch

Kontakt.io

Stoczniewców 3, 30-709
Kraków, Poland

T +48 123 793 445

E hello@kontakt.io

Kontakt.io

19 W 34 Street, Suite 1018,
New York Zip 10001

T +1 415-295-4558

E hello@kontakt.io