

Beam Mini



Beam Mini

Physical	<p>Height</p> <p>Width</p> <p>Depth</p> <p>Weight</p> <p>Casing</p> <p>Product identification</p> <p>Visual status indicator</p> <p>IR (Infrared) emitters</p> <p>Mount</p>	<p>4.7 in (12 cm)</p> <p>4.7 in (12 cm)</p> <p>1.7 in (4.5 cm)</p> <p>0.9 oz (250 grams)</p> <p>IP 54</p> <p>QR code, MAC address, Unique ID</p> <p>Green LED</p> <p>8 high power directional data-communication LEDs</p> <p>Wall or ceiling mount; supplied mounting plate and T-bar ceiling mounting kit</p>
Environmental	<p>Operating temperature</p> <p>Storage temperature</p> <p>Operating humidity</p> <p>Storage humidity</p>	<p>14°F to 149°F (10°C to 65°C)</p> <p>-4°F to 185°F (-20°C to 85°C)</p> <p>0%-95% RH (non-condensing)</p> <p>5%-95% RH (non-condensing)</p>
Bluetooth Low Energy Radio	<p>Wireless standard</p> <p>Range</p> <p>Supported data packets</p>	<p>Bluetooth LE 5.0 compliant and 5.3 compatible</p> <p>Up to 164 ft (50 m)</p> <p>Kontakt.io Secure, Telemetry, and Location, iBeacon, Eddystone</p>
Sensors	<p>Temperature sensor range</p> <p>Temperature typical accuracy</p> <p>PIR sensor</p>	<p>-40°F to 185°F (-40°C to +85°C)</p> <p>+/- 1.8°F (+/- 1°C)</p> <p>Distance 16 ft (5 m), viewing angle 120 degrees</p>
Battery Power	<p>Battery life</p> <p>Battery type</p> <p>Replaceable</p> <p>Activation</p>	<p>Up to 5 years with Kontakt.io location engine; may vary by use-case and configuration</p> <p>3 x Lithium ERI4505; 8100 mAh</p> <p>Yes; supplied Kontakt.io battery pack</p> <p>Power switch</p>
Features	<p>Bluetooth Low Energy (LE) broadcasting and scanning</p> <p>IR (Infrared) transmitter for room-level certainty</p> <p>PIR Sensor</p> <p>Accelerometer Sensor</p> <p>Ambient Temperature Sensor</p> <p>Remote device management</p> <p>Over-the-air (OTA) firmware and configuration updates</p> <p>Power saving capabilities</p>	



Get in Touch

Kontakt.io

Stoczniewców 3, 30-709
Kraków, Poland

T +48 123 793 445

E hello@kontakt.io

Kontakt.io

19 W 34 Street, Suite 1018,
New York, NY 10001

T +1 415-295-4558

E hello@kontakt.io